

# PDSEGEN – Reference Card

(29 Nov 2017 – V5.0)

Primary Commands	
Command	Description
<a href="#">BACKUP</a>	Backup PDSE V2 member generations
<a href="#">BROWSE <i>member</i></a>	Browse member
<a href="#">C <i>dsn filter</i></a>	Change to another PDSE, with mbr filtering
<a href="#">COPY <i>dsn</i></a>	Copy to a PDSE
<a href="#">EDIT <i>member</i></a>	Edit member
<a href="#">FILTER</a>	Member list filtering
<a href="#">FIND <i>text</i></a>	Find a text string
<a href="#">GENONLY</a>	Only non-0 generations
<a href="#">HIDE</a>	Only 0 generations
<a href="#">HIGEN</a>	Information on deleted members
<a href="#">INFO</a>	Dataset summary information
<a href="#">LOCATE <i>text</i></a>	Locate text string
<a href="#">MODEL</a>	Allocate new PDSE with same attributes
<a href="#">MONTH</a>	Members changed in last 30 days
<a href="#">OUTPUT</a>	Write member list to dataset
<a href="#">PRUNE</a>	Delete all non-generation members
<a href="#">REFRESH</a>	Rebuild member list
<a href="#">RESTORE</a>	Restore members from backup DSN
<a href="#">SET <i>options</i></a>	Set default options (B, E, V and /)
<a href="#">TODAY</a>	Members changed today
<a href="#">VALIDATE</a>	Validate PDSE dataset
<a href="#">WEEK</a>	Members changed in last 7 days
<a href="#">VIEW <i>member</i></a>	View member
<a href="#">YEAR</a>	Members changed this year

Line Commands		
Command	Only	Description
<a href="#">A</a>	Zero	Attribute of member
<a href="#">B</a>		Browse member
<a href="#">C or COP</a>	Zero	Copy member, with generations
<a href="#">D</a>		Delete member
<a href="#">E</a>	Zero	Edit member
<a href="#">G or REC</a>	Non-Zero	Recover a generation to a new member
<a href="#">H</a>		Hide member
<a href="#">I</a>		Information on member
<a href="#">J</a>		Submit member
<a href="#">K</a>	Zero	Copy member
<a href="#">M</a>		Mail member
<a href="#">O</a>		Options
<a href="#">P</a>	Non-Zero	Promote non-zero generation to zero
<a href="#">R or REN</a>	Zero	Rename member
<a href="#">S</a>		Select member (B, E or V)
<a href="#">U</a>		Enter user command
<a href="#">V</a>		View member
<a href="#">X</a>		Execute member
<a href="#">Z or COM</a>	Non-Zero	Compare non-zero generation to zero

Comments	
Primary Commands	Line Commands
Primary command characters <a href="#">underlined</a> signify abbreviation	Placing the cursor on a row and pressing <a href="#">ENTER</a> will select the member
Wild cards (%) and (*) can be specified in the member name	Line commands can be blocked or numeric, example: <a href="#">DD-DD</a> or <a href="#">D9999</a>
Type <a href="#">LEFT (F10)</a> or <a href="#">RIGHT (F11)</a> to display different columns	The ' <a href="#">Status</a> ' field allows typing in a member name for some commands
Type <a href="#">HELP (F1)</a> to display tutorials	Several line commands can be typed in at once